



Ji'nan ShengTai Painting Equipment Co.,Ltd.

Address: East of the intersection of Dongwaihuan Road and Wenhua Road in Wenden Village,
Diaozen Street, Zhangqiu District, Jinan City, Shandong Province

Email: sales@stpowdercoating.com WhatsApp:+8615854139190

I	Curing Oven (External Dimensions)	L40000*W1700*H3200mm	1 set
1	Furnace Body Inner panel	Inner Panel δ 0.7mm galvanized sheet Outer Panel: δ 0.6mm color-coated sheet Rock wool density: 100KG/m ³ Insulation layer thickness: inner panel δ 100mm, outer panel δ 100mm Double-layer panel provides better insulation effect	1 set
	Furnace Body Stand H3000mm	100*100 δ 2.5mm square tube	1 set
2	Inner Corner Bead	δ 1.2mm galvanized sheet	1 set
	Outer Corner Bead	δ 2.0mm galvanized sheet	1 set
5	Gas Hood	δ 1.2mm galvanized sheet	1 set
6	Auxiliary Materials Welding materials	cutting discs, polishing discs, rivets, expansion bolts, column foot sleeves	1 set
II	Centralized Natural Gas Heating Furnace	Moisture Furnace	1 set
1	Heating Furnace Insulation Body	Inner panel: δ 1.5mm SUS304 stainless steel Outer panel: δ 1.2mm steel plate Rock wool density: 100KG/m ³ Insulation layer thickness: δ 200mm	1 set
2	Heating Furnace Combustion Chamber High-temperature	resistant SUS304 δ 3.0mm stainless steel plate	1 set
3	Air Supply Duct	δ 1.2mm galvanized sheet with adjustable damper	1 set
4	Circulation Fan	GW 5# P=7.5KW	1 unit
5	Burner	RS34	1 set
6	Frame	5# angle iron and channel steel	1 set
7	Insulation Rock Wool		1 set



Ji'nan ShengTai Painting Equipment Co.,Ltd.

Address: East of the intersection of Dongwaihuan Road and Wenhua Road in Wenden Village,
Diaozhen Street, Zhangqiu District, Jinan City, Shandong Province

Email: sales@stpowdercoating.com WhatsApp:+8615854139190

8	Access Door		1 set
9	Auxiliary Materials	Welding materials, cutting discs, polishing discs, rivets, dovetail nails, etc.	1 set

Raising the height of the baking oven in an automated powder coating production line can also improve operating space and safety. As the powder coating industry continues to develop, various factors such as the amount of paint to be sprayed, product size, and material transport speed required by the baking oven are changing. To meet the production needs of products of different specifications and sizes, the height of the baking oven needs to be adjusted to ensure that products can pass through smoothly and that operators have sufficient space inside, thereby improving production efficiency and safety.

Please provide detailed information so that we can provide you with a more accurate solution:

What are the Maximum and Minimum dimensions of your workpieces (L × W × H)?

What is the maximum weight of each workpiece? If available, please also provide product photos.

How many workpieces do you plan to coat per day (based on 8 or 16 working hours) or per month?

Which heating source do you prefer, such as electric power, diesel, fuel oil, or natural gas?

What are the dimensions of your workshop (L × W × H)? If possible, could you share a layout or drawing of the facility?

Prior to coating, do you require spray pre-treatment to prepare and clean the product surface?

What voltage and frequency standards are used in your country?

Please also share your WhatsApp or another instant messaging contact so



Ji'nan ShengTai Painting Equipment Co.,Ltd.

Address: East of the intersection of Dongwaihuan Road and Wenhua Road in Wenden Village,
Diaozen Street, Zhangqiu District, Jinan City, Shandong Province

Email: sales@stpoudercoating.com WhatsApp:+8615854139190

we can communicate more efficiently.

Address: East of the intersection of Dongwaihuan Road and Wenhua Road in
Wenden Village, Diaozen Street, Zhangqiu District, Jinan, ShanDong, China,
250000

WhatsApp: +86-15854139190

WeChat/Telegram: +86-15098917702

Email: sales@stpoudercoating.com