Ji'nan ShengTai Painting Equipment Co.,Ltd.
Address: East of the intersection of Dongwaihuan Road and Wenhua Road in Wenden Village, Diaozhen Street, Zhangqiu District, Jinan City,Shandong Province
Email: sales@stpowdercoating.com WhatsApp:+8615854139190

Model	**ST-APC-R1212**		
Large Cyclone Recovery System	(Indoor Emission)	**1**	**set**
Cyclone Recovery Main Unit	1260*1260*4600	1	set
	Hot-dip sprayed, material SS41 & 2.75mm		
Cyclone Recovery Cone	Hot-dip sprayed, material SS41 & 2.75mm	1	set
Cyclone Recovery Support Frame	Welded from 80*80*2.75mm square tubes	1	set
Cyclone Central Powder Hopper	Material: Hot-dip sprayed plate, t=1.5mm	1	set
Powder Recovery Pump	Aluminum material	2	set
Powder Pump Recovery Hose		10	m
Hopper Fluidization Device		1	set
Fluidization Control System		1	set
Secondary Recovery System		1	set
Cyclone Duct	Φ500mm, with intermediate flange connection	1	set
Import Polyester Filter Element	₵325*1000mm (Polyester composite	12	set
	membrane)		
High-Efficiency Exhaust Fan	22KW, Airflow 20000m³/H (Variable Frequency	1	unit
	Drive)		
Diaphragm Solenoid Valve		12	set
Digital Display Pulse Controller	20-position	1	set

Filter Element Cleaning Device	Automatic reverse jet cleaning with explosion–proof heads	12	set
Noise Reduction/Acoustic Absorption Device		1	set
Acoustic Absorbing Cotton	t=50mm	1	set
Quick Access/Cleaning Door		2	set
Secondary Powder Collection Hopper		1	set
Air Receiver Control Unit	120L	1	set
Air Receiver		1	set
Cyclone Secondary Duct	Φ500mm, with intermediate flange connection	1	set
Auxiliary Materials	50×50 square iron tubes, material: SS41, t=1.5mm	1	batch

Large Cyclone Recovery System (Indoor Emission)

Please provide detailed information so that we can provide you with a more accurate solution:

1.What are the Maxminum and Minimum dimensions of your workpieces (L × W × H)?

2.What is the maximum weight of each workpiece? If available, please also provide product photos.

3.How many workpieces do you plan to coat per day (based on 8 or 16 working hours) or per month?

4.Which heating source do you prefer, such as electric power, diesel, fuel oil, or natural gas?

5.What are the dimensions of your workshop (L × W × H)? If possible, could you share a layout or drawing of the facility?

6.Prior to coating, do you require spray pre–treatment to prepare and clean the product surface?

7.What voltage and frequency standards are used in your country?

Please also share your WhatsApp or another instant messaging contact so we can communicate more efficiently.

Website: https://www.stpowdercoating.com

Address: East of the intersection of Dongwaihuan Road and Wenhua Road in Wenden Village, Diaozhen Street, Zhangqiu District, Jinan, ShanDong, China, 250000

WhatsApp: +86–15854139190;

WeChat/Telegram: +86–15098917702

Email: sales@stpowdercoating.com