Ji'nan ShengTai Painting Equipment Co.,Ltd.
Address: East of the intersection of Dongwaihuan Road and Wenhua Road in Wenden Village, Diaozhen Street, Zhangqiu District, Jinan City,Shandong Province
Email: sales@stpowdercoating.com WhatsApp:+8615854139190

Cartridge Recovery Powder Spray Booth ST-MPC-R4120

Filters: High-precision recovery filters ensure clean air by effectively separating powder.
Cartridges: Quick-release cartridges simplify filter replacement during color changes.
Adaptable powder recovery: 8-filter setup can adjust recovery capacity to match powder usage, making it ideal for small to medium batches, multiple product types, and varying workpiece sizes.
Design: A simple design with high-quality components reduces the need for maintenance.

Overview

- A powder coating booth with integrated filtration, engineered for industrial coating applications; it captures overspray powder, manages emissions, and recovers powder for recycling.

Applications

- Ideal for industrial powder coating facilities and producers seeking modular, filter-based booths to optimize powder containment and efficiency.

Product Name: Powder Spray Cabinet
Dimension: L4000*W1000*H2000
Structure: Spray–painted with 1.2mm thick steel plate; Smooth interior surface; Includes hooks, rails, and recovery drawer
Motor: 7.5kW
Filter: 8 pcs; High purification efficiency, compact structure, and small footprint; 340*340*940mm
FanCopper core fan: 2 pcs of 1.5kW axial flow fan
Control Panel: Installed on one side of the booth

Please provide detailed information so that we can provide you with a more accurate solution:

1.What are the Maxminum and Minimum dimensions of your workpieces (L × W × H)?

2.What is the maximum weight of each workpiece? If available, please also provide product photos.

3.How many workpieces do you plan to coat per day (based on 8 or 16 working hours) or per month?

4.Which heating source do you prefer, such as electric power, diesel, fuel oil, or natural gas?

5.What are the dimensions of your workshop (L × W × H)? If possible, could you share a layout or drawing of the facility?

6.Prior to coating, do you require spray pre–treatment to prepare and clean the product surface?

7.What voltage and frequency standards are used in your country?

Please also share your WhatsApp or another instant messaging contact so we can communicate more efficiently.

Website: https://www.stpowdercoating.com

Address: East of the intersection of Dongwaihuan Road and Wenhua Road in Wenden Village, Diaozhen Street, Zhangqiu District, Jinan, ShanDong, China, 250000

WhatsApp: +86–15854139190;
WeChat/Telegram: +86–15098917702
Email: sales@stpowdercoating.com