Ji'nan ShengTai Painting Equipment Co.,Ltd.
Address: East of the intersection of Dongwaihuan Road and Wenhua Road in Wenden, Diaozhen Street, Zhangqiu District, Jinan City,Shandong Province
Email: sales@stpowdercoating.com WhatsApp:+8615854139190

Clean Water Spray Cleaning Room Specifications ST–P4236	
Item	**Description / Specification**
Process Name	Cleaning
Processing Method	Spray
Processing Time	2 minutes
Room External Dimensions	4000 mm (L) × 2000 mm (W) × 3600 mm (H)
Circulating Water Tank Dimensions	1220 mm (L) × 610 mm (W) × 650 mm (H)
Material Chassis Frame	Galvanized Carbon Steel Square Tube
Spray Pipe	Hot Melt PPR Pipe
Spray Nozzle	PP (Polypropylene) Nozzle
Spray Water Pump Type	Vertical Centrifugal Water Pump
Power	1.5 kW
Flow Rate	16 m^3/h
Pressure	1.5 bar



Please provide detailed information so that we can provide you with a more accurate solution:

1.What are the Maxminum and Minimum dimensions of your workpieces (L × W × H)?

2.What is the maximum weight of each workpiece? If available, please also provide product photos.

3.How many workpieces do you plan to coat per day (based on 8 or 16 working hours) or per month?

4.Which heating source do you prefer, such as electric power, diesel, fuel oil, or natural gas?

5.What are the dimensions of your workshop (L × W × H)? If possible, could you share a layout or drawing of the facility?

6.Prior to coating, do you require spray pre–treatment to prepare and clean the product surface?

7.What voltage and frequency standards are used in your country?

Please also share your WhatsApp or another instant messaging contact so we can communicate more efficiently.

Website: https://www.stpowdercoating.com

Address: East of the intersection of Dongwaihuan Road and Wenhua Road in Wenden Village, Diaozhen Street, Zhangqiu District, Jinan, ShanDong, China, 250000

WhatsApp: +86–15854139190;

WeChat/Telegram: +86–15098917702

Email: sales@stpowdercoating.com