Ji'nan ShengTai Painting Equipment Co.,Ltd.
Address: East of the intersection of Dongwaihuan Road and Wenhua Road in Wenden, Diaozhen Street, Zhangqiu District, Jinan City,Shandong Province
Email: sales@stpowdercoating.com WhatsApp:+8615854139190

| I | Spraying Gun | ST-MLPC-G5008 | **1 set** |
|---|---|---|---|
| 1 | Manual Powder Spray Gun | Imitated Gema 4th Generation | 4 set |
| 2 | Automatic Powder Spray Gun | Imitated Gema 4th Generation. 8 in use, 4 spare | 12 set |
| 3 | Servo Reciprocating Machine | Effective stroke H=2000mm. Servo motor: Inovance. Reducer: Taiwan Foston | 2 set |
| 4 | Intelligent Powder Supply Center | PLC touch screen control. Delta | 1 set |
| 6 | Auxiliary Materials | Powder tubes, venturi, electrode holders, air tubes, etc. | 1 set |

# Product display

Manual Liquid Coating Spray Gun

Suitable Applications

Designed for a wide variety of uses, this spray gun is ideal for both indoor and outdoor coating jobs, including paint spraying, adhesive application, primers, furniture finishing, and vehicle coating. In the right hands, it becomes a highly versatile tool, ready to support many more creative applications.

Compatible Coatings

ST's spray gun works effectively with both water-based coatings and nitro-based paints. Before operation, thoroughly mix the paint in its container

to blend any settled material at the bottom with the liquid on top. Transfer the mixture to a small container (such as a plastic bottle or cup), then add the appropriate thinner at a ratio of 1:1 or 1:2, depending on the paint type. Each coating — enamel, water-based, or nitrocellulose — requires its designated thinner. Stir well and then pour the prepared paint into the spray gun cup.

ST Spraying Gun Reminder

Each ST spray gun is supplied with a dedicated cleaning kit. After completing your work, always clean the spray gun promptly to maintain optimal performance and extend its service life.

Please provide detailed information so that we can provide you with a more accurate solution:

1.What are the Maxminum and Minimum dimensions of your workpieces (L × W × H)?

2.What is the maximum weight of each workpiece? If available, please also provide product photos.

3.How many workpieces do you plan to coat per day (based on 8 or 16 working hours) or per month?

4.Which heating source do you prefer, such as electric power, diesel, fuel oil, or natural gas?

5.What are the dimensions of your workshop (L × W × H)? If possible, could you share a layout or drawing of the facility?

6.Prior to coating, do you require spray pre-treatment to prepare and clean the product surface?

7.What voltage and frequency standards are used in your country?

Please also share your WhatsApp or another instant messaging contact so we can communicate more efficiently.

Website: https://www.stpowdercoating.com

Address: East of the intersection of Dongwaihuan Road and Wenhua Road in Wenden Village, Diaozhen Street, Zhangqiu District, Jinan, ShanDong,

China, 250000

WhatsApp: +86–15854139190;

WeChat/Telegram: +86–15098917702

Email: sales@stpowdercoating.com